

***Argo 8x8***  
***Avenger 750 EFI***

***Argo 8x8***  
***Avenger 700***



***Argo 8x8***  
***Avenger***  
**PARTS MANUAL**

From Serial # ...32501

# Foreword

ODG has prepared this parts manual for the AVENGER model to assist both qualified mechanics and vehicle owners in ordering correct, quality replacement ARGO parts. For the most current parts manual visit our website at [www.argoatv.com](http://www.argoatv.com).

Proper and regular service, and replacing old, worn or broken parts with the correct ARGO replacement parts, are both essential to prolonging the life of the ARGO. Please refer to this parts manual and/or our website [www.argoatv.com](http://www.argoatv.com) before ordering any replacement part.

All information contained in this AVENGER Parts Manual is based on the latest product specification available at time of printing. If your AVENGER differs from the specifications contained in this manual, check our website [www.argoatv.com](http://www.argoatv.com) for the most current information.

ODG reserves the right to alter specifications on the AVENGER model at any time, without obligation or prior notification.

Reproduction of this AVENGER Parts Manual, in whole or in part, is prohibited without prior written permission from Ontario Drive & Gear Limited.

## Vehicle Identification

**AVENGER** - Serial Nos. ...32501

## Explanation of Parts Manual Format

|                    |                                                                      |
|--------------------|----------------------------------------------------------------------|
| <b>Ref</b>         | - Reference number between assembly diagram and component parts list |
| <b>Part No.</b>    | - Argo replacement part number for identification and re-ordering    |
| <b>Description</b> | - Part description for identification and re-ordering                |
| <b>Qty</b>         | - Indicates the quantity of a part used in an assembly               |

***Argo 8x8***  
***Avenger 750 EFI***

***Argo 8x8***  
***Avenger 100***




#### Using the Parts Manual

1. Find the major vehicle assembly in the Table of Contents on this page, and turn to that section.
2. Locate the part in the illustration that you wish to order.
3. Refer to the parts list in that section.
4. Find the correct part number (Part No.), part description (Description) and correct quantity (Qty).
5. Use *only* this information to order ARGO replacement parts. *DO NOT* attempt to order a replacement part by reference number or page number.

#### Table of Contents


|                                       |    |
|---------------------------------------|----|
| Foreword .....                        | i  |
| Vehicle Identification.....           | i  |
| Using the Parts Manual .....          | ii |
| 1.0 Transmission .....                | 1  |
| 2.0 Intake and Exhaust System.....    | 3  |
| 3.0 Clutch System .....               | 5  |
| 4.0 Power Pack Assembly .....         | 7  |
| 5.0 Steering & Brake System .....     | 9  |
| 6.0 Parking Brake .....               | 11 |
| 7.0 Vehicle Body & Firewall.....      | 13 |
| 8.0 Frame & Drive System .....        | 15 |
| 9.0 Fuel System & Seat Assembly ..... | 17 |
| 10.0 Electrical System .....          | 19 |




# Avenger Parts Manual

## 1.0 Transmission

| Ref. | Qty. | Part #     | Description                    | Ref. | Qty. | Part #     | Description                                        |
|------|------|------------|--------------------------------|------|------|------------|----------------------------------------------------|
|      | 1    | 34-100     | Transmission Assembly          | 40   | 1    | 34-109     | Gear, Helical - HI 12DP 33T                        |
|      | 1    | 34-100-3.3 | Transmission Assembly          | 41   | 1    | 34-110     | Gear, Helical - LOW 12DP 39T                       |
| 1    | 3    | 101-01     | Bearing, Ball 6204Z-C3         | 42   | 1    | 34-111     | Gear, Reverse - 10DP 33T                           |
| 2    | 2    | 101-03     | Bearing, Ball 6207-C3          | 43   | 1    | 34-112     | Shaft, Spline                                      |
| 3    | 2    | 101-05     | Bearing, Ball 6306LLU-C3/2A    | 44   | 1    | 34-113     | Shaft, Shift - Forward                             |
| 4    | 2    | 101-15     | Bearing, Ball 6005-C3          | 45   | 1    | 34-114     | Shaft, Shift - Reverse                             |
| 5    | 1    | 101-16     | Bearing, Ball 6206-C3          | 46   | 1    | 34-115     | Block, Shift                                       |
| 6    | 2    | 102-03     | Seal,Oil WBS 30x72x10 NB D/LIP | 47   | 1    | 34-116     | Fork, Shift                                        |
| 7    | 1    | 102-05     | Seal,Oil WBS 30x62x10 NB D/LIP | 48   | 1    | 34-117     | Lever, Shift                                       |
| 8    | 1    | 103-02     | Plug, Magnetic 3/8-18NPT SQ.HD | 49   | 1    | 34-131     | Plate, Shifter                                     |
| 9    | 2    | 104-03     | Pin, Dowel 1/4x7/8             | 50   | 1    | 34-121     | Knob, Shift - w/Argo Logo                          |
| 10   | 2    | 104-39     | Pin, Spring - 1/4 x 1.0        | 51   | 1    | 34-122     | Cage, Differential                                 |
| 11   | 1    | 104-40     | Pin, Dowel - 1/4 x 1.75        | 52a  | 1    | 34-123     | Pinion, Helical - 25T - 2.6                        |
| 12   | 12   | 105-03     | Bushing, Oilite - 1/2x3/4      | 52b  | 1    | 34-125     | Pinion, Helical - 21T - 3.3                        |
| 13   | 3    | 105-23     | Bushing, Dowel - .312 x .5     | 53a  | 1    | 34-124     | Gear Plate - 66T - 2.6                             |
| 14   | 4    | 106-03     | Retaining Ring HO-281PA        | 53b  | 1    | 34-126     | Gear Plate - 70T - 3.3                             |
| 15   | 1    | 106-05     | Retaining Ring HO-244-PA       | 54   | 6    | 34-13      | Gear, Planet - 12T                                 |
| 16   | 3    | 107-02     | Retaining Ring SH-0118-PA      | 55   | 2    | 34-14      | Gear, Sun - 21T                                    |
| 17   | 2    | 107-04     | Retaining Ring SH-0098-PA      | 56   | 2    | 34-32      | Spring, Comp. 0.22x.50                             |
| 18   | 1    | 107-14     | Retaining Ring LC-125-PA       | 57   | 2    | 34-98      | Shaft, Output - Splined                            |
| 19   | 2    | 107-11     | Retaining Ring                 | 58   | 1    | 114-01     | Washer, Shim 2.25 x 2.81 x .02                     |
| 20   | 1    | 107-15     | Retaining Ring SHR-098-PA      | 59   | 1    | CE-035     | Dipstick - with Breather - 190mm                   |
| 21   | 15   | 108-05     | Lockwasher 5/16 Split Ring Zn  | 60   | 1    | 609-38     | Boot, Shifter                                      |
| 22   | 1    | 108-78     | Washer, Thrust                 | 61   | 3    | 112-64     | SHCS, 5/16-18 x 1.25                               |
| 23   | 1    | 108-79     | Washer, Thrust                 | 62   | 1    | 108-88     | Washer, Retaining Thrust                           |
| 24   | 5    | 109-05     | Ball, Steel 6mm 62-67 Rc       | 63   | 1    | 113-16     | O-Ring #AS568-014-70BN 5/8"OD x 1/2"ID x 1/16" Thk |
| 25   | 4    | 112-04     | HHCS 1/4-20x3/4 Gr2 Zn         | 64   | 1    | 34-132     | Follower, Neutral Start                            |
| 26   | 14   | 112-143    | SHCS 5/16 x 1.25 Zn            | 65   | 1    | 108-08     | Washer, .28 x .62 x .07 Zn                         |
| 27   | 1    | 112-144    | SHCS 5/16 x 1.0 Zn             | 66   | 1    | 809-202    | Switch, Limit - Two Pole                           |
| 28   | 1    | 112-145    | SHSS 5/16 - 18 X 3/8           | 67   | 2    | 112-172/PI | SHMS, #5-40x3/4 Zn                                 |
| 29   | 1    | 113-11     | O-Ring #AS568-216-70BN         | 68   | 2    | 112-173/PI | Locknut, #5-40 Zn                                  |
| 30   | 1    | 114-04     | Washer, Shim 1.19x1.50x.04     | 69   | 1    | 108-85     | Washer, Retaining Thrust                           |
| 31   | 1    | 114-05     | Washer, Shim 1.19x1.50x.02     | 70   | 1    | 112-171    | FHSC 1/4-20 x 3/4 Gr2 Zn                           |
| 32   | 1    | 34-101     | Housing, Transmission - L      | 71   | 1    | 613-112    | Wire Harness, Neutral Start                        |
| 33   | 1    | 34-102     | Housing, Transmission - R      | 72   | 1    | 161-28     | O-Ring, 3mm CS x 12mm ID                           |
| 34   | 1    | 34-127     | Clutch, Dog                    |      |      |            |                                                    |
| 35   | 1    | 34-130     | Shaft, Input - 19/15T Spline   |      |      |            |                                                    |
| 36   | 1    | 34-128     | Pinion, Helical - HI 12DP 26T  |      |      |            |                                                    |
| 37   | 1    | 34-129     | Pinion, Helical - LO 12DP 20T  |      |      |            |                                                    |
| 38   | 1    | 34-107     | Pinion, Reverse - 10DP 16T     |      |      |            |                                                    |
| 39   | 1    | 34-108     | Gear, Idler - Rev - 10DP 16T   |      |      |            |                                                    |




| Ref. | Qty. | Part #     | Description                                |
|------|------|------------|--------------------------------------------|
| 1    | 1    | 809-03     | Duct, Intake                               |
| 2    | 2    | 120-13     | Rivet, 3/16 x 3/4 - Black                  |
| 3    | 2    | 809-166-35 | Seal, 35" Long                             |
| 4    | 2    | 809-06     | Seal, Radiator - 16.25" LG                 |
| 5    | 1    | 601-111    | Cover Plate, Intake Duct                   |
| 6    | 4    | 108-05     | Lockwasher 5/16 Split Ring Zn              |
| 7    | 4    | 112-30     | SHCS M8 x 1,25 x 20mm Zn                   |
| 8    | 1    | 607-121    | Muffler Ass'y, EFI                         |
| 8a   | 1    | 607-119    | Muffler Ass'y, 700                         |
| 9    | 2    | 127-187    | Spring, Extension - 17/32 x 3.75           |
| 10   | 1    | 607-135    | Tube, Muffler, Flared x 2.0                |
| 11   | 1    | 607-190    | Shield, Duct Exhaust Upper                 |
| 12   | 11   | 112-19     | Screw, IHWH T/C Slot 1/4-20 x 1/2          |
| 13   | 1    | 607-167    | Duct, Exhaust, Avenger                     |
| 14   | 1    | 607-171    | Spark Arrestor, ODG                        |
| 15   | 1    | 607-134    | Pipe, Tail - Ass'y                         |
| 16   | 1    | 127-184    | Blower Fan                                 |
| 17   | 1    | 100-128    | Clamp, Gear 2.25"                          |
| 18   | 1    | 848-194    | Hose, Intake Flex 2" Dia. x 24"            |
| 19   | 1    | 607-123    | Shield, Muffler Heat                       |
| 20   | 2    | 125-58     | Washer, Fibre - W-77F                      |
| 21   | 14   | 120-04     | Washer, .19 x .50 x .08 Zn                 |
| 22   | 2    | 24 041 49  | Gasket, Exhaust Manifold                   |
| 23   | 1    |            | <b>See Section 4.0 Power Pack Assembly</b> |
| 24   | 4    | 108-03     | Lockwasher 1/4 Split Ring Zn               |
| 26   | 1    | 607-170    | Support, Exhaust Duct - Avenger            |
| 27   | 4    | 125-35     | Clamp, Gear 3.50" HF-52                    |
| 28   | 1    | 127-139    | Hose, Brake Fan Discharge                  |
| 29   | 1    | 127-134    | Duct, Brake Cooling                        |
| 30   | 1    | 118-02     | Terminal, Male #76-1251                    |
| 31   | 1    | 118-03     | Terminal, Female #76-1289                  |
| 32   | 1    | 127-140    | Hose, Brake Fan Inlet                      |
| 34   | 13   | 120-09     | Rivet, 3/16 x 1.0 Black                    |
| 35   | 1    | 809-04     | Shroud, Intake Duct                        |
| 36   | 1    | 100-102    | Tie Wrap, 14" - White                      |
| 37   | 2    | 117-89     | Thumbscrew, 1/4-20 x 1, Nylon              |
| 38   | 2    | 117-53     | Nut, Jack 1/4-20 8L-Jns Zn                 |



| Ref. | Qty. | Part #    | Description                           |
|------|------|-----------|---------------------------------------|
| 1    | 1    | 0405-0075 | Flange, Fixed                         |
| 2    | 1    | 0410-0026 | Flange, Sliding                       |
| 3    | 1    | 0150-1014 | Spring Guide Washer                   |
| 4    | 1    | 0451-1114 | Spring                                |
| 5    | 1    | 0440-0005 | Spring Cover                          |
| 6    | 3    | 0080-0167 | Lockwasher                            |
| 7    | 3    | 0080-0021 | Screw, Cap                            |
| 8    | 3    | 0130-3012 | Block                                 |
| 9    | 3    | 0135-3065 | Weight (275gr)                        |
|      | 3    | 0135-3062 | Weight (240gr) - EFI Model            |
|      | 1    | 127-208   | Weight Set (3), 185g - High Elevation |
|      | 1    | 127-209   | Weight Set (3), 220g - High Elevation |
|      | 1    | 127-210   | Weight Set (3), 240g - High Elevation |
| 10   | 1    | 0115-0047 | Cap                                   |
| 11   | 1    | 0080-0153 | Washer, Zn                            |
| 12   | 1    | 0080-0100 | Nut                                   |
| 13   | 1    | 5905-0003 | Flange, Fixed                         |
| 14   | 1    | 0080-0164 | Washer, Shim                          |
| 15   | 1    | 5910-0002 | Flange, Sliding                       |
| 16   | 3    | 5930-3001 | Cam Shoe                              |
| 17   | 2    | 0080-0031 | Screw                                 |
| 18   | 1    | 5951-1009 | Spring                                |
| 19   | 1    | 5950-3003 | Spring Protector                      |
| 20   | 1    | 5950-3002 | Spring Support                        |
| 21   | 1    | 0080-0216 | Retaining Ring, Outside               |
| 22   | 2    | 0080-0167 | Lockwasher                            |
| 23   | 1    | 127-157   | Clutch, Driver - EFI Models           |
|      | 1    | 127-135   | Clutch, Driver                        |
| 24   | 2    | 0080-0035 | Screw & Nut Ass'y                     |
| 25   | 1    | 127-156   | Clutch, Driven - INVANCE              |

## 4.0 Power Pack Assembly

## Avenger Parts Manual



## Avenger Parts Manual


## 4.0 Power Pack Assembly

| Ref. | Qty. | Part #     | Description                                        |
|------|------|------------|----------------------------------------------------|
| 1    | 1    | 25 083 01  | Filter, Air                                        |
| 2    | 1    | 25 083 04  | Element, Inner                                     |
| 3    | 1    | LH690-3017 | Kohler 26 HP Engine                                |
|      | 1    | LH775-3012 | Kohler 31 HP Engine, EFI                           |
| 4    | 1    | 12 050 01  | Filter, Oil                                        |
| 5    |      | 127-193    | Sparkplug, RC14YC                                  |
| 6    |      |            | <b>See Section 3.0 Clutch System</b>               |
| 7    | 1    | 108-84     | Washer, Engine Clutch                              |
| 8    | 1    | 112-160    | HHCS, 7/16-20 x 4.50" Lg                           |
| 9    | 1    | 127-137    | Drive Belt - 10.5" Cen. Dist                       |
|      | 1    | 127-137HD  | Drive Belt - Avg/HDi Heavy Duty (Opt.)             |
| 10   |      |            | <b>See Section 3.0 Clutch System</b>               |
| 11   | 1    | 110-03     | Key 1/4 x 3/16 x 2.375 RC46                        |
| 12   | 1    | M-545016   | Screw, Clamp Cable (Kohler #)                      |
| 13   | 1    | 112-164    | HHCS 3/8-16 x 3.5 Gr5 Zn                           |
| 14   | 7    | 108-06     | Lockwasher 3/8 Split Ring Zn                       |
| 15   | 1    | 108-46     | Washer .40 x 1.37 x 1.2 Hi-Carbon                  |
| 16   | 1    | 806-35     | Frame Ass'y - Power Pack                           |
| 17   | 3    | 117-83     | Locknut, Stover 5/8-11 Zn                          |
| 18   | 2    | 811-09     | Washer, Square - .64 ID                            |
| 19   | 2    | 103-20     | HHCS 1/2-13 x 6.5 Gr5 Zn                           |
| 20   | 4    | 117-29     | Locknut, Nylon 3/8-16 Zn                           |
| 21   | 3    | 112-58     | HHCS 5/8-11 x 7.5 Gr5 Zn                           |
| 22   | 2    | 108-07     | Lockwasher 1/2 Split Ring Zn                       |
| 23   | 2    | 117-06     | Nut, Fin Hex 1/2-13 Zn                             |
| 24   | 2    | 811-15     | Washer, Square Lock .64 ID                         |
| 25   |      |            | <b>See Section 1.0 Transmission</b>                |
| 26   | 2    | 606-74     | Disc, Brake-Splined #60-10T                        |
| 27   | 2    | 103-18     | HHCS 3/8-24 x 1.25 Gr5 Zn                          |
| 28   | 1    | 110-18     | Key 1/4 x 1/4 x 1.75                               |
| 29   | 2    | 108-18     | Washer .40 x 1.37 x .12 Zn                         |
| 30   | 1    | 12 237 01  | Clamp, Cable (Kohler #)                            |
| 31   | 1    | 24 089 51  | Spring, Throttle (Kohler #)                        |
| 32   |      |            | <b>See Section 5.0 Steering &amp; Brake System</b> |

| Ref. | Qty. | Part #    | Description                                        |
|------|------|-----------|----------------------------------------------------|
| 33   |      |           | <b>See Section 5.0 Steering &amp; Brake System</b> |
| 35   | 4    | 103-41    | SHCS 3/8-16 x 1.25 Zn                              |
| 36   |      |           | <b>See Section 2.0 Intake &amp; Exhaust</b>        |
| 37   | 1    | 117-68    | Nut, Jam 3/8-24 UNF Zn                             |
| 38   | 1    | 108-32    | Lockwasher 3/8 Int. Tooth                          |
| 39   | 1    | 612-92    | Cable Ass'y, Choke                                 |
| 40   | 1    | 612-116   | Cable Asm., Throttle – Avenger                     |
| 41   | 2    | 103-71    | Screw, IHWH T/C 1/4-20 x 1.25 Zn                   |
| 42   | 1    | 125-64    | Filter, Fuel                                       |
| 43   | 1    | 607-172   | Sleeve, Thermo Protect 1/2" ID                     |
| 44   | 4    | 108-26    | Washer, .43 x 1.02 x .09 Zn                        |
| 45   |      | 112-156   | Plug, Oil Drain 3/8-18 NPT Hex                     |
| 46   | 1    | 24 089 46 | Spring, Governor (Kohler #)                        |
| 47   | 1    | 127-49    | Spring, Extension                                  |
| 48   | 2    | 103-53    | HHCS 3/8-16 x 3.0 Full Thread                      |
| 51   | 1    | 108-58    | Washer, .47 x 1.37 x 12 Hi-Carbon                  |
| 52   | 1    | 66 584 05 | ECU (c/w engine)                                   |
| 53   | 2    | 112-161   | PHMS, 10-24 x 2.5                                  |
| 54   | 1    | 24 418 05 | 02 Sensor                                          |

## 5.0 Steering & Brake System

## Avenger Parts Manual




# Avenger Parts Manual

## 5.0 Steering & Brake System


| Ref. | Qty. | Part #  | Description                           | Ref. | Qty. | Part #  | Description                                                     |
|------|------|---------|---------------------------------------|------|------|---------|-----------------------------------------------------------------|
| 1    | 1    | 612-123 | Frame Assembly, Steering Column       | 44   | 2    | 112-159 | BHCS, 1/4-20 x 1.0, Plated                                      |
| 2    | 1    | 612-107 | Handlebar Assembly                    | 45   |      | 126-19  | Fluid, Brake-Silicon                                            |
| 3    | 1    | 165-08  | Master Cylinder, Grimeca - R          |      |      |         | Dot 5 - .35L                                                    |
| 4    | 1    | 165-07  | Master Cylinder, Grimeca - L          | 46   | 1    | 163-05  | Hose Asm, Hydraulic - Left                                      |
| 5    | 1    | 612-128 | Shaft, Steering - Avenger             | 47   | 1    | 163-06  | Hose Asm, Hydraulic - Right - SS                                |
| 6    | 2    | 104-42  | Pin, Spring 1/4 x 1.5"                | 48   | 2x2  | 160-42  | Screw, FHMS                                                     |
| 7    | 1    | 108-47  | Washer, .39 x .94 x .13 Zn Di-chr     |      |      |         | M5 x 0,8 x 6mm                                                  |
| 8    | 1    | 117-29  | Locknut, Nylon 3/8-16 Zn              | 49   | 2x1  | 168-08  | Cover                                                           |
| 9    | 2    | 612-124 | Arm, Steering                         | 50   | 2x1  | 168-09  | Cover, Rubber                                                   |
| 10   | 1    | 612-106 | Clamp, Lower Handlebar                | 51   | 1    | 117-10  | Locknut, 10-24 N/I Zn                                           |
| 11   | 1    | 612-105 | Clamp, Upper Handlebar                | 52   | 2x1  | 162-08  | Spring, Comp. 17.3 x 49.3mm                                     |
| 12   | 1    | 106-07  | Ring, Retaining SH-0075PA             | 53   | 2x1  |         | Seal, Primary, 19mm (See Ref. 63)                               |
| 13   | 1    | 160-46  | SHCS, #10-24 x 3/8"                   | 54   | 2x1  | 168-10  | Piston 19mm dia.                                                |
| 14   | 2    | 105-16  | Bushing, Oilite - 3/4 x 1/2           | 55   | 2x1  |         | Seal, Secondary, 19mm (See Ref. 63)                             |
| 15   | 2    | 110-17  | Key, 3/16 x 3/16 x .625               | 56   | 2x1  |         | Boot, Rubber (See Ref. 63)                                      |
| 16   | 1    | 128-24  | Retainer, Handbrake Cable             | 57   | 2    | 812-30  | Pin, Female                                                     |
| 17   | 2    | 112-47  | SHCS, 1/4-20 x 1.0 Zn                 | 58   | 2    | 117-03  | Nut, Fin Hex 1/4-20 Zn                                          |
| 18   | 4    | 117-27  | Locknut, Nylon 1/4-20 Zn              | 59   | 2    | 812-31  | Fin, Male                                                       |
| 19   | 1    | 103-38  | HHCS 5/16-18x1.25 Gr5 Zn              | 60   | 2    | 112-02  | SHSS 10-24x1/4 Knurl Cup PT, PL                                 |
| 20   | 1    | 108-05  | Lockwasher, 5/16 Split-Ring Zn        | 62   | 2x2  | 168-07  | Pin, Cotter 1/8 x 3.00 Zn                                       |
| 21   | 2    | 112-04  | HHCS 1/4-20 x 3/4 Gr2 Zn              | 63   | 2x1  | 161-25  | O-Ring Kit - Master Cylinder - Grimeca (incl. Ref. 53, 55 & 56) |
| 22   | 2    | 108-03  | Lockwasher 1/4 Split Ring Zn          | 64   | 4    | 160-44  | Bolt, Banjo - M10 x 1,0 x 21,0                                  |
| 23   | 2    | 103-66  | HHCS, 1/4-20 x 4.0 Gr5 Zn             | 65   | 13   | 160-01  | Washer, Copper - 1,5 x 10,0 x 14,0                              |
| 24   | 4    | 108-08  | Washer, .28 x .62 x .04 Zn            | 67   | 1    | 165-18  | Pulley, Handbrake Cable                                         |
| 25   | 2x8  | 108-24  | Washer, .34 x .70 x .06 Zn            | 68   | 4    | 125-84  | Grommet, Rubber                                                 |
| 26   | 2    | 812-17  | Collar                                | 69   | 2    | 103-69  | SHCS 1/4-20 x 1.5 Zn                                            |
| 27   | 1    | 128-17  | Lever Assembly, Handbrake, Spring     | 70   | 1    | 612-132 | Bracket, LCD Gauge - Painted                                    |
| 28   | 1    | 128-21  | Cable Assembly, Handbrake             | 71   | 1    | 128-27  | Grommet 1-1/4ID x 1-1/2x3/32                                    |
| 29   | 2    | 127-35  | Grip, Molded                          | 72   | 2    | 117-86  | Nut, Acorn, 1/4-20 Zn                                           |
| 30   | 1    | 127-81  | Throttle Twist Grip                   | 73   | 3    | 117-85  | Nut, Acorn, M5 Zn                                               |
| 31   | 1    | 612-116 | Cable Asm., Throttle                  | 74   | 3    | 120-04  | Washer .19 x .50 x.08 Zn                                        |
| 32   | 1    | 105-25  | Bushing, Flange Oilite FF-310         |      |      |         |                                                                 |
| 33   | 1    | 166-10  | Caliper, Hydraulic Brake - L w/o pads |      |      |         |                                                                 |
| 34   | 1    | 166-11  | Caliper, Hydraulic Brake - R w/o pads |      |      |         |                                                                 |
| 35   | 2    | 161-05  | O-ring Kit, Knott Caliper             |      |      |         |                                                                 |
| 36   | 2    |         | Seal, Piston                          |      |      |         |                                                                 |
| 37   | 2    |         | Seal, Rubber                          |      |      |         |                                                                 |
| 38   | 2x1  | 168-20  | Plug, Rubber                          |      |      |         |                                                                 |
| 39   | 2x1  | 168-02  | Screw, Bleeding, Knott Caliper        |      |      |         |                                                                 |
| 40   | 2x4  | 112-154 | SHCS, 5/16-18 x 2.75 Zn               |      |      |         |                                                                 |
| 41   | 1    | 170-03  | Pad Set (4), Brake - Non-Asbestos     |      |      |         |                                                                 |
| 42   | 2x4  | 117-03  | Nut, Fin Hex 5/16-18 Zn               |      |      |         |                                                                 |
| 43   | 2x2  | 168-01  | Piston, Knott Caliper                 |      |      |         |                                                                 |

## 6.0 Parking Brake

## Avenger Parts Manual



| Ref. | Qty. | Part #     | Description                                                            |
|------|------|------------|------------------------------------------------------------------------|
| 1    | 1    | 850-96     | Caliper Ass'y, LH, Parking Brake                                       |
| 2    | 1    | 850-97     | Caliper Ass'y, RH, Parking Brake                                       |
| 3    | 1    | 850-98     | Kit, Service, Parking Brake (includes Ref. 4 - 9, not sold separately) |
| 4    | 1    |            | Cam Tension Spring (compression)                                       |
| 5    | 1    |            | Left & Right Brake Pads                                                |
| 6    | 1    |            | Cam Arm Spring (tension)                                               |
| 7    | 1    |            | Brake Pad Retaining Screw                                              |
| 8    | 1    |            | Castle Nut                                                             |
| 9    | 1    |            | Cotter Pin                                                             |
| 10   | 2    | 103-06     | HHCS 5/16-18x1.0 Gr5 Zn                                                |
| 11   | 5    | 103-08     | HHCS 1/4-20x1.0 Zn                                                     |
| 12   | 2    | 112-173    | Locknut, #5-40, Zn                                                     |
| 13   | 1    | 112-178    | Bolt, Shoulder, 1/2 x 5/8                                              |
| 14   | 2    | 112-172    | SHCS 5-40 x 3/4 Zn                                                     |
| 15   | 1    | 108-35     | Washer .53 x 1.06 x .09 Zn                                             |
| 16   | 5    | 108-24     | Washer .34x.70x.06 Zn                                                  |
| 17   | 7    | 108-47     | Washer .39x.94x.13 Zn Di-Chro                                          |
| 18   | 1    | 117-10     | Locknut, 10-24 N/I Zn                                                  |
| 19   | 4    | 112-132    | HHCS 5/16-18 x 3.25 Gr5 Zn                                             |
| 20   | 1    | 112-19     | Screw,IHWH T/C Slot 1/4-20x1/2*                                        |
| 22   | 6    | 117-21     | Locknut, Nylon 5/16-18 Zn                                              |
| 23   | 5    | 117-27     | Locknut, Nylon 1/4-20 Zn                                               |
| 24   | 1    | 613-120    | Switch, Micro, Lever                                                   |
| 25   | 1    | 118-52     | Fuse, 10A 2-Prong (AT010)*                                             |
| 26   | 1    | 104-27     | Pin, Clevis 5/16x.75" Zn                                               |
| 27   | 1    | 100-100    | Pin, Cotter 1/8x3/4 Zn                                                 |
| 29   | 1    | 809-147    | Lever, Parking Brake                                                   |
| 30   | 1    | 848-175    | Switch, Horn Momentary*                                                |
| 31   | 1    | 848-87     | Horn, Electric*                                                        |
| 32   | 1    | 848-176    | Harness, Horn Momentary*                                               |
| 33   | 1    | 850-72     | Bracket Asm, Parking/Brake                                             |
| 35   | 1    | 850-79     | Pulley, Parking Brake Cable                                            |
| 36   | 2    | 850-80     | Cable, Parking Brake Equalizer                                         |
| 37   | 1    | 850-81     | Cable, Parking Brake                                                   |
| 38   | 1    | 850-82     | Flat Bar, Equalizer                                                    |
| 39   | 1    | 112-143/PI | SHCS 5/16x1.25 Zn                                                      |
|      |      |            | *If equipped                                                           |




# Avenger Parts Manual

# 7.0 Vehicle Body & Firewall

| Ref. | Qty. | Part #    | Description                                                                        |
|------|------|-----------|------------------------------------------------------------------------------------|
| 1    | 1    | 707-43    | Screen - Exhaust - Avenger                                                         |
| 2    | 1    | 601-44    | Nameplate, "Argo"                                                                  |
| 3    | 2    | 127-45B   | Knuckle, Hinge                                                                     |
| 4    | 2    | 127-45A   | Pin, Hinge                                                                         |
| 5    | 1    | 601-101BL | Tube, Dash Handle                                                                  |
| 6    | 2    | 100-109   | Cup holder Insert                                                                  |
| 7    | 1    | 126-68    | Plate, Operation                                                                   |
| 8    | 1    | 707-42    | Screen, Intake                                                                     |
| 9    | 1    | 608-64    | Seat, Rear - Left                                                                  |
| 10   | 1    | 100-108   | Mesh, Glove Box                                                                    |
| 11   | 2    | 112-199   | Stud, Q-Turn - Long                                                                |
| 12   | 1    | 803-60    | Firewall, Avenger                                                                  |
| 13   | 1    | 608-65    | Seat, Rear - Right                                                                 |
| 14   | 1    | 126-67    | Plate, Floor Pan                                                                   |
| 15   | 1    | 127-173   | Plate, Vehicle Capacity                                                            |
| 16   | 2    | 127-01    | Reflector, Red                                                                     |
| 17   | 1    | 803-58    | Floor Pan, Rear - Avenger                                                          |
| 18   | 1    | 127-141   | Label, Caution - Keyswitch                                                         |
| 19   | 1    | 126-69    | Plate, Fuel                                                                        |
| 20   | 2    | 127-165   | Nameplate - 8x8 Avenger 700                                                        |
|      | 2    | 127-166   | Nameplate - 8x8 Avenger 750                                                        |
|      |      |           | EFI                                                                                |
| 21   | 2    | 601-09    | Trim, Vinyl - 28"                                                                  |
| 22   | 2    | 117-91    | Receptacle, Q-Turn                                                                 |
| 23   | 1    | 602-49    | Frame Ass'y, Hood - Front                                                          |
| 24   | 1    | 801-05    | Bumper, Vinyl - 8x8                                                                |
| 25   | 1    | 803-59    | Floor Pan, Front - Avenger                                                         |
| 26   | 1    | 801-50    | Body, Lower - Avenger                                                              |
| 27   | 2    | 100-107   | Plug, Drain - Flanged                                                              |
| 28   | 1    | 104-13    | Pin, Toplink - 3/4 x 2.75                                                          |
| 29   | 1    | 616-16    | Hitch Assembly                                                                     |
| 30   | 1    | 616-19    | Tube, Hitch                                                                        |
| 31   | 4    | 103-61    | HHCS 3/8-24 x 1.5 Gr5 Zn                                                           |
| 32   | 1    | 104-11    | Pin, Lynch - Ring                                                                  |
| 33   | 6    | 120-15    | Rivet - 1/8 x 7/16                                                                 |
| 34   | 2    | 602-56    | Latch, Hood - Soft Draw                                                            |
| 35   | 2    | 112-51    | Screw, IHWH T/C #10-24x5/8                                                         |
| 36   | 33   | 120-11    | Rivet 5/32 x 9/16 - Black                                                          |
| 37   | 1    | 613-123   | Post, Power, 5/16-18, Red                                                          |
| 38   | 1    | 602-70    | Hood Kit - Avenger (spec. colour) (incl. 3, 4, 34, 36, 40, 53, 54, 59, 67, 68, 72) |
| 39   | 2    | 117-44    | T- Nut 1/4-20 Zn                                                                   |

| Ref. | Qty. | Part #  | Description                                                        |
|------|------|---------|--------------------------------------------------------------------|
| 40   | 92   | 120-04  | Washer .19 x .50 x .08 Zn                                          |
| 41   | 32   | 120-27  | Pin, Magna Grip                                                    |
| 42   | 32   | 120-28  | Collar, Magna Grip                                                 |
| 43   | 1    | 801-51  | Skid Plate, 8x8 - Black                                            |
| 44   | 1    | 801-52  | Body & Hood, Upper - Avenger (spec. colour) (incl. 23, 33, 34, 38) |
| 45   | 109  | 120-09  | Rivet 3/16 x 1 - Black                                             |
| 46   | 8    | 103-48  | T/S Pan HD PHIL #10 x 5/8                                          |
| 47   | 4    | 126-79  | Bumper, Plastic - Black                                            |
| 48   | 24   | 108-25  | Washer .31 x .75 x .06 Zn                                          |
| 49   | 4    | 603-15  | Washer, Plastic 5/16 Hole                                          |
| 50   | 4    | 103-08  | HHCS 1/4-20 x 1.0 Zn                                               |
| 51   | 2    | 112-04  | HHCS 1/4-20 x 3/4 Gr2 Zn                                           |
| 52   | 1    | 126-60  | Vinyl Strip, 1/2" x 1/4" x 37.5'                                   |
| 53   | 8    | 108-59  | Lockwasher #10 Int. Tooth Zn                                       |
| 54   | 9    | 103-47  | HHCS 10-24 x 1/2                                                   |
| 55   | 1    | 113-12  | Insert, 1/2-13                                                     |
| 56   | 1    | 108-35  | Washer .53 x 1.06 x .09 Zn                                         |
| 57   | 1    | 112-151 | HHCS 1/2-13 x 1" Gr2 Zn                                            |
| 58   | 1    | 613-37  | Terminal Strip, Ground                                             |
| 59   | 13   | 120-13  | Rivet, 3/16 x 3/4 Black                                            |
| 60   | 1    | 117-10  | Locknut, 10-24 N/I Zn                                              |
| 61   | 44   | 120-24  | Rivet, 3/32 x 3/8 Alum. (all plates)                               |
| 62   | 2    | 100-114 | Gasket, Drain Plug                                                 |
| 63   | 2    | 117-82  | Locknut, Flange 1/4-20 Zn                                          |
| 64   | 1    | 602-51  | Frame Ass'y, Hood - Rear                                           |
| 65   | 1    | 127-144 | Label, Warning - HOT                                               |
| 66   | 1    | 128-26  | Grommet, 1-1/2ID x 1-3/4x1/4                                       |
| 67   | 6    | 120-05  | Washer, .19 x .50 x .04 Zn                                         |
| 68   | 2    | 602-52  | Clip, Hood - Avenger                                               |
| 69   | 1    | 616-20  | Gasket, Rear Hitch                                                 |
| 70   | 1    | 127-150 | Plate, Switch Mounting -3 Hole                                     |
| 71   | 2    | 114-24  | Retainer, Q-Turn Washer                                            |
| 72   | 1    | 602-68  | Screen, 1 Pc Hood/Scoop                                            |




# Avenger Parts Manual

# 8.0 Frame and Drive System

| Ref. | Qty. | Part #  | Description                               | Ref. | Qty. | Part #  | Description                     |
|------|------|---------|-------------------------------------------|------|------|---------|---------------------------------|
| 1    | 1    | 804-100 | Frame Asm - Avenger                       | 38   | 8    | 127-182 | Tire, Argo 25x12-9              |
| 2    | 4    | 606-25  | Gasket - Bearing Extension                | 39   | 6    | 100-01  | Pin, Cotter 1/8 x 1.50 Zn       |
| 3    | 80   | 117-29  | Locknut, Nylon 3/8-16 Zn                  | 40   | 1x4  | 100-96  | Con. Link, RC50-2 H.D.          |
| 4    | 16   | 108-46  | Washer .40 x 1.37 x .12 Hi-Carbon         | 41   | 1x4  | 603-84  | Con. Link, RC60-1 H.D.          |
| 5    |      | 125-75  | Link, Half RC50-2                         | 42   | 6    | 127-65  | Spring Torsion - 1.16x0.35      |
| 6    | 8    | 101-41  | Bearing, Ball - 1.0                       | 43   | 6    | 606-44  | Slider Block                    |
| 7    | 80   | 108-15  | Washer, .42 x .81 x .05 Zn                | 44   | 6    | 606-82  | Tensioner Asm, Chain            |
| 8    | 35   | 103-88  | C/Bolt 3/8-16 x 1.0 Gr5 Zn                | 45   | 6    | 127-64  | Spring, Torsion - .76 x 1.9     |
| 9    | 16   | 606-90  | Gasket, Flange - 72mm                     | 46   | 4    | 603-95  | Spring Clip - RC 50 Closed      |
| 10   | 12   | 606-91  | Flange - 4 Hole Hd                        | 47   | 4    | 603-96  | Spring Clip - RC 60 Closed      |
| 11   | 10   | 606-92  | Flange, Greasable - 4 Hole Hd             | 48   | 2    | 606-93  | Flange, Greaseable - 90 Deg. Hd |
| 12   | 4    | 101-96  | Bearing, Ball - 1.25x1.5 No Grv           | 50   | 8    | 101-95  | Bearing, Ball - 1.25 x 72mm     |
| 13   | 16   | 112-187 | C-Bolt 3/8-16x2.0 Gr5 Zn                  | 51   | 16   | 108-06  | Lockwasher 3/8 Split Ring Zn    |
| 14   | 8    | 606-88  | Flange Ass'y, Outer Bearing               | 53   | 4    | 104-35  | Pin, Cotter 2mm x 12mm          |
| 15   | 16   | 103-68  | HHCS 3/8-16 x 2.0 Gr5 Zn                  | 54   | 2    | 127-188 | Link, Con. #60 Lambda           |
| 16   | 4    | 810-112 | Bearing Extension w/nuts                  | 55   | 4    | 810-28  | Sprocket, Double - 24T          |
| 17   | 20   | 108-34  | Washer .47 x .94 x .06 Zn                 | 56   | 2    | 606-43  | Slide, Chain - 2-3/4"           |
| 18   | 20   | 112-181 | HHCS 7/16-20 x 1.75 Gr5 Zn                | 57   | 8    | 606-89  | Carrier, Axle Bearing           |
| 19   | 5x8  | 112-183 | Stud, Wheel 7/16-20 x 1.5                 | 58   | 4    | 107-10  | Retaining Ring SH-0125-PA       |
| 20   | 4    | 810-92  | Axle Asm - Front/Rear HD                  | 59   | 2    | 642-47  | Tie Down Bracket                |
| 21   | 4    | 810-113 | Axle Asm - Mid HD                         | 60   | 1    | 613-127 | Magnet, Speedometer             |
| 22   | 2    | 810-59  | Shaft, Idler - 11T                        |      |      |         |                                 |
| 23   | 2    | 606-72  | Sprocket, Idler S60 x 21T                 |      |      |         |                                 |
| 24   | 8    | 606-34  | Sprocket, S60 x 19T                       |      |      |         |                                 |
| 25   | 10   | 112-03  | SHSS 5/16-18 x 3/8 1/2 DOG, PL            |      |      |         |                                 |
| 26   | 2    | 803-62  | Chain, RC60-1 x 34P Idler-Lambda          |      |      |         |                                 |
| 27   | 4    | 112-60  | SHSS 1/4-28 x 1/2 Cup Pt.                 |      |      |         |                                 |
| 28   | 8    | 103-88  | C/Bolt 3/8-16x1.0 Gr5 Zn                  |      |      |         |                                 |
| 29   | 1    | 112-163 | HHCS 3/8-16 x 2.0 Gr5 Zn                  |      |      |         |                                 |
| 30   | 4    | 112-61  | C/Bolt 3/8-16 x 1.25 Gr5 Zn               |      |      |         |                                 |
| 31   |      | 127-80  | Link, Half - RC60 - 1 (opt.)              |      |      |         |                                 |
| 32   | 2    | 803-55  | Chain, RC50-2 x 46P-Front (incl. Ref. 40) |      |      |         |                                 |
| 33   | 2    | 803-56  | Chain, RC50-2 x 74P-Mid (incl. Ref. 40)   |      |      |         |                                 |
| 34   | 4    | 803-57  | Chain, RC60-1 x 90P-Rear (incl. Ref. 41)  |      |      |         |                                 |
| 35   | 5x8  | 117-35  | Nut, Wheel 7/16-20 Zn                     |      |      |         |                                 |
| 36   | 8    | 125-26  | Valve, Tire                               |      |      |         |                                 |
| 37   | 8    | 127-61B | Rim - 10 x 9 - Black                      |      |      |         |                                 |

## 9.0 Fuel System & Seat Assembly

## Avenger Parts Manual




# Avenger Parts Manual 9.0 Fuel System & Seat Assembly

| Ref. | Qty. | Part #    | Description                               | Ref. | Qty. | Part #    | Description                      |
|------|------|-----------|-------------------------------------------|------|------|-----------|----------------------------------|
| 1    | 11   | 108-03    | Lockwasher 1/4 Split Ring Zn              | 48   | 1    | 103-25    | PHMS, 10-24 x 3/4 Zn             |
| 2    | 1    | 608-61    | Frame Assembly, Seat EFI                  | 50   | 1    | 808-133   | Reducer, 5/16" to 1/4"           |
|      | 1    | 608-96    | Frame Assembly, Seat - Avg. Carb          | 51   | 2"   | 608-69RM  | Hose, Fuel - 5/16" ID Carb       |
| 3    | 4    | 112-04    | HHCS 1/4-20x3/4 Gr2 Zn                    | 52   | 1    | 608-127   | Pick-up, Fuel, 5/16 105 Mesh     |
| 4    | 1    | 608-138   | Return, Fuel Port                         | 53   | 1    | 601-122   | Bracket, Support Body Upper Fuel |
| 5    | 1    | 608-140   | Fuel, Fill Neck Assembly                  | 54   | 1    | 608-66    | Hose, Fuel 1/4" ID, 80"          |
| 6    | 1    | 608-76    | Frame Assembly, Backrest                  | 55   | 3    | 108-08    | Washer .28 x .62 x .07 Zn        |
| 7    | 1    | 608-39    | Back Pad Assembly                         |      |      |           | <b>United States Vehicle Kit</b> |
| 8    | 1    | 608-122   | Tank, Fuel Single Layer                   | 8    | 1    | 608-120   | Tank, Fuel Low Permeation        |
|      | 1    | 608-120   | Tank, Fuel Low Permeation (for U.S.)      |      | 1    | 127-273   | Plate, Serial Blank Double       |
| 9    | 2    | 103-77    | HHCS, 1/4-28 x 2.0                        |      | 1    | 127-274   | Label, U.S EPA EVAP              |
| 10   | 2    | 117-01    | Locknut, Nylon 1/4-28 Zn                  |      |      |           | Approval                         |
| 11   | 1    | 608-54    | Toolbox                                   | 56   | 2    | 120-24    | Rivet, Alum - 3/32 x 3/8 Black   |
| 12   | 1    | 127-54    | <b>See Section 10.0 Electrical System</b> |      |      |           | <b>California Vehicle Kit</b>    |
| 13   | 1    | 608-55    | Cover, Battery                            | 8    | 1    | 608-120   | Tank, Fuel Low Permeation        |
| 14   | 1    | 608-88    | Seat Assembly, Bench - Thick              |      | 1    | 127-273   | Plate, Serial Blank Double       |
| 15   | 2    | 608-81    | Hinge, Seat, Bolted                       |      | 1    | 127-274   | Label, U.S EPA EVAP              |
| 16   | 2    | 104-43    | Pin, 3/16" x 1-1/8"                       |      |      |           | Approval                         |
| 17   | 2    | 126-102   | Bumper, Recessed Hole                     | 39   | 2    | 120-13    | Rivet - 3/16 x 3/4 Black         |
| 18   | 1    | 608-56    | Strap, Battery                            | 56   | 4    | 120-24    | Rivet, Alum - 3/32 x 3/8 Black   |
| 19   | 17   | 120-09    | Rivet 3/16x1 - Black                      |      | 1    | 127-275   | Label, Carb EVAP                 |
| 20   | 4    | 112-79    | Clamp, Hose, 1/2" - Black                 |      |      |           | Approval                         |
| 21   | 1    | 608-69    | Hose, Fuel 5/16" ID x 7.5' - Carb         | 57   | 1    | 126-101RM | Hose, Vent 3/16" ID              |
| 22   | 9    | 120-04    | Washer .19 x .50 x .08 Zn                 | 58   | 1    | 609-45    | Carbon Canister 800cc            |
| 23   | 2    | 100-12    | Clamp, Gear 2.25" HF-36                   | 59   | 1    | 609-46    | Bracket, Carbon Canister         |
| 24   | 1    | 125-94    | Hose, Filler                              | 60   | 2    | 609-48    | Reducer, Barbed 1/4" to 3/16"    |
| 25   | 11   | 112-07    | RHMS 10-24 x 1.50 Zn                      | 61   | 2    | 127-160-3 | Hose, 1/4ID x 3/8OD - 3" Long    |
| 26   | 1    | 126-100   | Fuel Cap, Tethered                        | 62   | 2    | 120-05    | Washer .19x.50x.04 Zn            |
| 27   | 6'   | 127-160RM | Tubing, 1/4 ID Clear Plastic              |      |      |           |                                  |
| 28   | 1    | 609-50    | Clamp, Rollover Valve                     |      |      |           |                                  |
| 30   | 10   | 108-42    | Washer .21 x 1.0x.06 Zn                   |      |      |           |                                  |
| 31   | 14   | 117-10    | Locknut, Nylon #10-24 Zn                  |      |      |           |                                  |
| 32   | 1    | 609-47    | Valve, Rollover                           |      |      |           |                                  |
| 33   | 7    | 126-93    | Clamp, Nylon Wire - 1/2" ID               |      |      |           |                                  |
| 34   | 1    | 126-80    | Vinyl Strip 1/2" x 1/4"                   |      |      |           |                                  |
| 36   | 5    | 112-41    | PHMS, Phil 1/4-20 x 1.25 Zn               |      |      |           |                                  |
| 37   | 4    | 103-03    | PHMS, Phil 1/4-20 x 1.50 Zn               |      |      |           |                                  |
| 38   | 5    | 117-64    | Insert, 1/4-20 Steel Cad Pltg.            |      |      |           |                                  |
| 39   | 33   | 120-13    | Rivet, 3/16 x 3/4 Black                   |      |      |           |                                  |
| 40   | 1    | 608-137   | Plug, Push-In                             |      |      |           |                                  |
| 41   | 7    | 100-101   | Clamp, Gear 1/2" HF or MH-4               |      |      |           |                                  |
| 42   | 4    | 120-31    | Rivet, 3/16" x 1/4, Open End              |      |      |           |                                  |
| 43   | 1    | 24 393 52 | Fuel Pump, EFI                            |      |      |           |                                  |
| 44   | 1    | 608-136   | Grommet, Fuel Return                      |      |      |           |                                  |
| 45   | 1    | 24 403 16 | Regulator, Fuel Pressure                  |      |      |           |                                  |
| 46   | 2    | 112-78    | Clamp, Hose, 9/16                         |      |      |           |                                  |
| 47   | 1    | 24 050 03 | Filter, Fuel Line - EFI - c/w engine      |      |      |           |                                  |


# 10.0 Electrical System

# Avenger Parts Manual




| Ref. | Qty. | Part #  | Description                     |
|------|------|---------|---------------------------------|
| 1    | 1    | 613-90  | Outlet, 12 Volt DC              |
| 2    | 1    | 613-153 | Switch, Light                   |
| 3    | 8    | 117-93  | Nut, Speed #10                  |
| 4    | 1    | 613-128 | Cable, Extension, Speedo Pickup |
| 5    | 2    | 127-108 | Key, Molded                     |
| 6    | 1    | 127-107 | Bezel - Cover, Nut              |
| 7    | 1    | 127-106 | Nut, Flanged - Plastic          |
| 8    | 1    | 127-105 | Switch - Ignition               |
| 9    | 1    | 613-126 | Sensor, Speedo Pickup           |
| 10   | 8    | 112-198 | T/S Pan Hd Phil #10 x 1.25 Blk. |
| 11   | 4    | 127-24  | Clamp, Nylon - 1" ID            |
| 12   | 1    | 117-87  | Nut, M12 x 1.25, Zn             |
| 13   | 1    | 613-124 | Insulator, 2 Way w/cap, Red     |
| 14   | 1    | 613-130 | Gauge, LCD                      |
| 16   | 1    | 127-55  | Cap, Battery Terminal - Red     |
| 17   | 1    | 127-54  | Battery, Exide 45-60            |
| 18   | 1    | 613-161 | Battery, Optima - Argo (Opt.)   |
| 19   | 2    | 613-159 | Headlight 37.5                  |
| 20   | 2    | 613-37  | Terminal Strip, Ground          |
| 20a  | 1    | 613-117 | Wire Harness, Kohler 25HP       |
|      | 1    | 613-118 | Wire Harness, Kohler 31HP EFI   |

| Ref. | Qty. | Part #  | Description                       |
|------|------|---------|-----------------------------------|
| 21   | 1    | 613-46  | Insulator, Terminal (2 ga.)       |
| 22   | 1    | 613-94  | Wire, Positive Battery            |
| 23   | 1    | 613-95  | Wire, Negative Battery            |
| 24   | 1    | 681-00  | FOB, Key - Floating               |
| 25   | 2    | 127-56  | Terminal, Battery Post            |
| 26   | 2    | 127-46  | Bulb, Headlight - Halogen 37W     |
| 27   | 2    | 112-51  | Screw, IHW T/C #10-24 x 5/8       |
| 28   | 4    | 126-93  | Clamp, Nylon Wire - 1/2" ID       |
| 29   | 1    | 118-52  | Fuse, 10A 2 Prong (AT010)         |
| 30   | 4    | 118-49  | Fuse, 15A 2 Prong (AT015)         |
| 31   | 1    | 118-53  | Fuse, 20A 2 Prong (AT020)         |
| 32   | 9    | 118-62  | Terminal - Fuse, single           |
| 33   | 1    | 118-63  | Terminal - Fuse, triple           |
| 34   | 1    | 118-61  | Terminal - Fuse, quad             |
| 35   | 2    | 118-60  | Block - Fuse, 8 position (4 fuse) |
| 36   | 2    | 613-152 | Bezel, Headlamp                   |
| 37   | 1    | 127-143 | Label, Fuse Panel - Kohler        |
| 38   | 1    | 613-99  | Light, Shifter Illumination       |
| 39   | 2    | 118-69  | Terminal, 3/16 Male Blade 22 Ga   |
| 40   | 2    | 112-139 | OHPS T/S #4 x 5/8 Black Zn        |
| 41   | 1    | 114-26  | Lockwasher, 5/8 Int. Tooth        |



## EFI Models



# ***ARGO* Products Manufactured by:**

## **Ontario Drive & Gear Limited**

220 Bergey Court

New Hamburg, Ontario

Canada N3A 2J5

Phone: (519) 662-2840

Fax: (519) 662-2421

[www.argoatv.com](http://www.argoatv.com)

**ODG** *Dedicated to quality and performance*